

Notice of Determination

Appendix D

To:

Office of Planning and Research
U.S. Mail: Street Address:
P.O. Box 3044 1400 Tenth St., Rm 113
Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
County of: Los Angeles
Address: 12400 Imperial Highway
Norwalk, CA 90650

From:

Public Agency: Santa Clarita Valley Water Agency
Address: 26521 Summit Circle
Santa Clarita, California 91350
Contact: Orlando Moreno, Senior Engineer
Phone: (661) 705-7253

Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2022110376

Project Title: S Wells PFAS Groundwater Treatment and Disinfection Facility Project

Project Applicant: Santa Clarita Valley Water Agency

Project Location (include county): multiple parcels, Santa Clarita, Los Angeles County

Project Description:

The project involves construction of a per- and polyfluoroalkyl (PFAS) groundwater treatment and disinfection facility and associated pipelines. The proposed facility would restore the use of Wells S6, S7 and S8 and would reduce SCV Water's dependency on imported water. In addition, a new groundwater well (S9) and a chloramine disinfection building would be constructed. The new Well S9 would not result in a net increase in SCV Water's overall annual basin-wide groundwater extraction levels. +

This is to advise that the Santa Clarita Valley Water Agency has approved the above (input checked box) Lead Agency or (input empty box) Responsible Agency

described project on 7/18/2023 and has made the following determinations regarding the above (date) described project.

- 1. The project [input empty box] will [input checked box] will not] have a significant effect on the environment.
- 2. [input empty box] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. [input checked box] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
- 3. Mitigation measures [input checked box] were [input empty box] were not] made a condition of the approval of the project.
- 4. A mitigation reporting or monitoring plan [input checked box] was [input empty box] was not] adopted for this project.
- 5. A statement of Overriding Considerations [input empty box] was [input checked box] was not] adopted for this project.
- 6. Findings [input empty box] were [input checked box] were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at: 27234 Bouquet Canyon Road, Santa Clarita, CA 91350

Signature (Public Agency): [Handwritten Signature] Title: General Manager

Date: 07/18/23 Date Received for filing at OPR: